

## EUROLUB LAGERFIT EP 2 LA

Lagerfit EP 2 LA is a natural coloured, Lithium EP Grease, based on mineral oil with chemical EP additives.

<b>Application:</b>	Lagerfit EP 2 LA is universally usable for the lubrication of motor vehicles, industry and construction machines.
<b>Properties:</b>	<ul style="list-style-type: none"> <li>• resistant to oxidation</li> <li>• high stability</li> <li>• water resistance</li> <li>• good corrosion protection properties</li> <li>• adhesiveness</li> </ul>

<b>Designation DIN 51502:</b>	KP2K-20
-------------------------------	---------

<b>Delivery:</b>	Art.-Nr. 709400	24 x 400 g	cartridges
	Art.-Nr. 709500	30 x 500 g	cartridges
	Art.-Nr. 709005	5 kg	plastik hobbock
	Art.-Nr. 709015	15 kg	plastik hobbock
	Art.-Nr. 709025	25 kg	plastik hobbock
	Art.-Nr. 709050	50 kg	sheet metal hobbock
	Art.-Nr. 709180	180 kg	sheet metal drum

<b>Technical Data:</b>			
<b>Data:</b>	<b>Unit:</b>	<b>Method:</b>	<b>EUROLUB Lagerfit EP 2 LA</b>
Operating temperature for long-term lubrication	°C		-25 to +120
Short time admissible temperature peak value	°C		+130
Drop point	°C	ASTM D 2265	Approx.. 185 °C
Worked penetration	1/10 mm	ASTM D 217	265 to 295
Corrosion protection		DIN 51802	corrosion degree 0
Copper strip test after 24 h		ASTM D 4048	corrosion degree 1-100
Thickener			Lithium Soap
Base oil viscosity at 40°C	mm <sup>2</sup> /s	ASTM D 445	Approx.. 100
4 ball Test, welding load	N	DIN 51350	2400

The data provided are subject to change. Operating rules of the manufacturer. Characteristics are typical of current production data are subject to change. This should describe the products and should not therefore intended to assure certain properties. Obligation can not be derived.

EUROLUB GmbH Freisinger Strasse 25-27 85386 Eching bei München Tel. +49 8165 9591 - 0, Fax +49 81659591 - 20 <a href="http://www.eurolub.com">www.eurolub.com</a> , <a href="mailto:info@eurolub.com">info@eurolub.com</a>	print: 24.08.2020, made 07.06.2017
	Referenz: sieb7077, 01.11.2015
	Name: 709xxx_TDS_EN
	Seite 1 von 1